

TYPE 3BFP-

The Du Mont Type 3BFP- is a 3-inch, flat face, electrostatic focus and deflection cathode-ray tube with very high deflection sensitivities and full scan.

This tube features a linear post accelerator for maximum deflection uniformity and minimum pattern distortion. The extremely low deflection factors permit use of this tube in compact transitorized equipment.

GENERAL CHARACTERISTICS

Focusing Method

Electrical Data

	Deflecting Method			Electrostatic	
	Direct Interelectrode Capacitance	es. Approx			
	Cathode to all other electro			3.5	μμf
	Grid No. 1 to all other electrodes			7 .2	μμf
	D1 to D2			3.6	μμf
	D3 to D4			2.6	μμf
	D1 to all other electrodes			7.0	μμf
	D2 to all other electrodes			7.0	μμf
	D3 to all other electrodes			5.7	μμf
	D4 to all other electrodes			5 .7	μμf
<u>O</u>	otical Data	0.1	na	P7	P11
	Phosphor	PI C	P2	* *	
	Fluorescent Color	Green		Blue-White Yellow	Blue
	Phosphorescent Color	A A	Green		Short
	Persistence	Medium	Long	Long	Snorr
	Faceplate			Flat, Clear	
M	echanical Data				
	Overall Length Greatest Diameter of Bulb Minimum Useful Screen Diameter Base (Small Shell 12-pin Duodecc	(اد		13 3/4 ± 3/8 3 ± 1/16 2 3/4 B12-43	inches Inches Inches
	base (Smail Shell 12 pm boodece	•••		D12 30	

DE-5862 - 2 2/8/60

Electrostatic



TYPE 3BFP-

GENERAL CHARACTERISTICS (MECHANICAL DATA) (Continued)

Basing	12BE				
Base Alignment:					
D1D2 trace aligns with Pin No. 3 and tube axis	± 10	Degrees			
Positive voltage on D1 deflects beam approximatel	y toward Pin No.	3			
Positive voltage on D3 deflects beam approximatel	Positive voltage on D3 deflects beam approximately toward Pin No. 12				
Angle between D3D4 and D1D2 traces	90 ± 1	Degrees			
Bulb Contact Alignment:		•			
J1-22 contact aligns with D3D4	± 10	Degrees			
J1-22 contact on same side as Pin No. 6		J			
RATINGS (ABSOLUTE MAXIMUM VALUES)					
Heater Voltage	6,3	Volts			
Heater Current at 6.3 Volts	0.6 ±10%	Ampere			
Post Accelerator Voltage	3, 500	Max, Volts DC			
Post Accelerator Resistance	100	Min. Megohms			
Accelerator Voltage	1, 250	Max. Volts DC			
Ratio Post Accelerator Voltage to Accelerator Voltage	3	Max.			
Accelerator Input	6	Max. Watts			
Focusing Voltage	450	Max. Volts DC			
Grid No. 1 Voltage					
Negative Bias Value	200	Max. Volts DC			
Positive Bias Value	0	Max. Volts DC			
Positive Peak Value	0	Max. Volts			
Peak Heater-Cathode Voltage		•			
Heater Negative with respect to Cathode	180	Max. Volts			
Heater Positive with respect to Cathode	180	Max. Volts			
Peak Voltage between Accelerator and any					
Deflection Electrode	200	Max. Volts			
TYPICAL OPERATING CONDITIONS					
Post Accelerator Voltage	1, 500	Volts			
Accelerator Voltage ,	500	Volts			
Post Accelerator Current	10	Microamperes Max.			
Focusing Voltage	25 to 125	Volts			
- · · ·					



TYPE 3BFP-


TYPICAL OPERATING CONDITIONS (Continued)

Grid No. 1 Voltage ² Modulation ³	-30 to -60 35	Volts Volts Maxa		
Line Width "A" ³	.030	Inch Max.		
P1 Light Output 3	3.0	FT. L. Min.		
Deflection Factors:				
D1 D2	12 to 15	Volts DC/Inch		
D3D4	9 to 12	Volts DC/Inch		
Focusing Current for any operating condition	-15 to +15	Microamperes		
Spot Position (Undeflected) ⁴	Within a 3/10	Within a 3/16-inch radius circle		
MAXIMUM CIRCUIT VALUES				
Grid No. 1 Circuit Resistance	1,5	Max. Megohms		
Resistance in any Deflecting-Electrode Circuit ⁵	5	Max. Megohms		

NOTES

- 1. Measured with the beam cut-off. All readings of beam current shall be in addition to the reading obtained for post accelerator current.
- 2. Visual extinction of the undeflected, focused spot.
- 3. Measured in accordance with MIL-E-1 specifications with a beam current of 15 µADC.
- 4. When the tube is operated at typical operating conditions, Ecl adjusted to avoid damage to the screen, with each of the deflecting electrodes connected to the accelerator, and with the tube shielded against external influences; the spot will fall within a 3/16-inch radius circle centered on the tube face.
- 5. It is recommended that the deflecting-electrode circuit resistances be approximately equal.

DUMONT CATHODE-RAY TUBE



Allen B. Du Mont Laboratories, Inc. Clifton, New Jersey

 D_3

DE-5862-2 2-8-60